

Complete the study material by answering the questions with a single selection using an open code book
At the end of the course, fill in your information and mail the form to Forward Slash Development LLC
This course is 20 questions long and is worth .5 continuing education credit.

1. The intent of plumbing code in connection with all buildings, public and private, intended for human occupancy, shall be that plumbing is installed and maintained in such a manner so as to protect the _____
 - health of the public
 - safety and welfare of the public
 - waters of the State
 - all of the above

2. Where plumbing fixtures exist in a building that is not connected to a public sewer system, suitable provisions shall be made _____ the wastewater
 - for treating
 - recycling
 - dispersing
 - holding
 - any of the above

3. For a new public building involving _____ or more plumbing fixtures to be installed, submittals of plans and specifications must be made to the Department or Agent Municipality
 - 11
 - 13
 - 15
 - 16

4. For testing the sanitary building sewer, if an air test is to be used, forcing air into the system until there is a uniform gauge pressure of _____ pounds per square inch would be required
 - 1
 - 2
 - 3
 - 4

5. A 1 ½ inch building subdrain pipe at 1/8" pitch is a legal installation
- True
False
6. A horizontal branch drain may not connect downstream from the base fitting of a drain stack 2" or larger in diameter within the distance equal to ___ pipe diameters of the drain to which the horizontal branch drain connects.
- 4
6
10
20
7. A sanitary sump receiving waste from building subdrains shall be located at least ___ feet from any water well or as otherwise approved by the Dept. of Natural Resources.
- 15
20
25
50
8. Discharge piping from the pump or ejector of a sanitary sump shall discharge by means of a wye pattern fitting.
- True
False
9. Where a _____ is located on a floor which is entirely below grade, a floor drain shall be installed to serve that floor.
- water heater
clothes washer
hose bibb
any of the above

10. Extensions of vents through a roof shall terminate at least ____ above the roof.
- 2 feet
 - 1 foot
 - 8 inches
 - 6 inches
11. To protect a vent terminal from frost closure, a vent terminal shall be at least ____ inch diameter.
- 1 ½
 - 2
 - 3
 - 4
12. Indirect and local waste piping handling sanitary wastes shall not exceed ____ in length.
- 30 inches
 - 6 feet
 - 12 feet
 - 30 feet
13. A standpipe receptor for a residential-type clothes washer may not extend less than ____ inches above the centerline of the trap outlet.
- 26
 - 24
 - 18
 - 15
14. Where an air gap or air break is located below the countertop, it can discharge to local waste piping.
- True
 - False

15. For a private water main that is ____ or less in diameter and connects to the public water main, a “corporation cock” shall be installed at the connection to the public water main.

2 ½ inch

2 inch

1 ½ inch

1 inch

16. If a private water supply includes an internal pressure tank, the building control valve shall be installed inside the building and located within 3 feet of the developed length downstream from the internal pressure tank.

True

False

17. Water heaters shall be equipped with a safety devices, including a vacuum relief valve installed in each water heater which when measured from the bottom of the heater, is located more than 20 feet above and faucet or outlet served by the heater

True

False

18. The discharge pipe from a hot water heater relief valve shall terminate within the same room or enclosure within which the water heater is located

True

False

19. The load factor in water supply fixture units (wsfu) for a “public use” lavatory for the hot water portion of the fixture would be _____

.5

1

1.5

2

20. A private water main shall not be less than ____ inch in diameter

3/4

1

1 1/2

The Course name is “Internet Plumbing 20Q”

The Course I.D number is _____

Course Completion Date _____

Your Name: _____

Your email address: _____

Your Credential number: _____

List of Credentials that you are seeking credit for _____

Mail to: Forward Slash Development LLC
21147 Fishhook Ave
Tomah, WI 54660

If mailing this form please attach the fee for the course \$5 payable to Forward Slash Development LLC